




DECLARATION OF PERFORMANCE

0050-CPR-0465

1. **Unique Identification code of Product type**
Portland Cement CEM II/A-L 42,5N
2. **Type, Batch or Serial Number or any other Element allowing identification of the Product**
See Point 1
3. **Intended use or uses of the product, in accordance with the applicable harmonised technical specification**
Preparation of concrete, mortar, grout etc.
4. **Name and registered address of manufacturer**
Quinn Cement, Ballyconnell, Co. Cavan, Ireland
5. **Where applicable, name and contact address of the authorised representative whose mandate covers tasks specified in Article 12(2):**
Not Applicable
6. **System or systems of assessment and verification of constancy of performance of the construction product as set out in CPR, Annex V:**
System 1+
7. **In case of the declaration of performance concerning a construction product covered by a harmonised standard:**
Notified product certification body No.0050 performed the determination of the product type on the basis of type testing (including sampling), the initial inspection of the manufacturing plant and of factory production control, the continuous surveillance, assessment and evaluation of factory production control and the audit-testing of samples taken before placing the product on the market under system 1+ and issued the certificate of constancy of performance.
8. **Declared Performance**
Refer to table attached
9. **The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 8. The declaration of performance is issued under the sole responsibility of the manufacturer identified in point 4.**



DECLARATION OF PERFORMANCE

 0050		
Quinn Cement Ballyconnell Co. Cavan Ireland		
EN 197-1:2011 13 0050-CPR-0465 Cement: composition, specifications, and conformity criteria for common cements		
Essential Characteristics	Performance	Harmonised Technical Specification
Common Cement Type	CEM II/A-L	EN 197-1:2011
Compressive Strength	42,5N	
Setting Time	Pass	
Insoluble Residue	Pass	
Loss on Ignition	Pass	
Soundness -expansion	Pass	
-SO ₃ Content	Pass	
Heat of Hydration	Pass	
Chloride Content	Pass	
C ₃ A in Clinker	Pass	

**Note: Information on dangerous substances will only be given when and where required in the appropriate form.
See Annex ZA.3 of BS EN 197-1:2011**



Authorised by: Liam McCaffrey

Position: CEO

Date of Issue: 18th April 2016